



EZM Inc  
14565 Road 208  
Porterville, CA 93257

Account# 00-0022408  
Account Manager: House  
Submitted By: Young Kwun  
Ranch: Julies Field

Received: 03/13/2026 7:10  
Reported: 03/20/2026 10:54

### Samples in this Report

| Lab ID     | Sample                | Matrix    | Sampled By | Crop | Date Sampled  |
|------------|-----------------------|-----------|------------|------|---------------|
| 26C0604-01 | Organic Blueberry MRL | Blueberry | Young Kwun |      | 3/9/2026 0:00 |

A handwritten signature in black ink that reads 'Scott M. Friedland'.

Laboratory Director/Technical Manager

ELAP Certification #1595  
A2LA Certification #6440.02

*The results in this report apply to the samples as received and were analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety. All results listed in this report are for the exclusive use of the submitting party. Dellavalle Laboratory, Inc. assumes no responsibility for report alteration, separation, detachment or third party interpretation.*

1910 W. McKinley Ave Suite 110 Fresno, CA 93728 559-233-6129 [www.dellavallelab.com](http://www.dellavallelab.com)



## ANALYTICAL REPORT

March 18, 2026

**Client:**

Dellavalle Laboratory, Inc.  
1910 W. McKinley, Suite #110  
Fresno, CA 93728

**Phone:** (559) 233-6129

**Fax:** (559) 268-8174

**Email:** dataentry@dellavallelab.com

**Project No:** Julies Field

**PO No:** 1208

**Client Sample ID:** 26C0604-01 Organic Blueberry MRL

**EMA Sample No:** 26031709-01

**Date Received:** 3/17/2026

**Sample Matrix:** Blueberries

**Analytical Method:** OC Screen

**Extraction Method:** CDFA

**Date Extracted:** 3/17/2026

**Date Completed:** 3/17/2026

**Comments:**

If the amount column displays: OC - See OC Screen, Pyr - See Pyrethroid Screen, ON - See ON Screen, OP - See OP Screen, CB - See CB screen, GC/MS - See GC/MS/MS Screen, LC/MS - See LC/MS/MS Screen  
ND = None Detected at the Reporting Limit (RL)  
Tolerance data taken from 40 CFR § 180 and/or MRLdatabase.com. Environmental Micro Analysis makes no claims as to the accuracy of tolerance numbers.  
Excess sample and extracts are stored for a minimum of 30 days from the date of analytical report. Special storage arrangements possible.  
Results relate only to items tested.  
Samples are analyzed as received.  
Reports should not be reproduced, except in full, without written consent by Environmental Micro Analysis.  
To see the scope of our ISO 17025 accreditation go to <http://emalab.com/ISO17025.pdf>

| Analyte                                  | Amount ppm | RL ppm | Tolerance ppm |
|------------------------------------------|------------|--------|---------------|
| a, b, d-BHC                              | ND         | 0.010  |               |
| Alachlor                                 | ND         | 0.020  |               |
| Aldrin                                   | ND         | 0.010  |               |
| Benfluralin                              | ND         | 0.020  |               |
| Bifenox                                  | ND         | 0.020  |               |
| Boscalid                                 | ND         | 0.020  |               |
| Bromacil                                 | ND         | 0.040  |               |
| Captafol                                 | ND         | 0.040  |               |
| Captan                                   | ND         | 0.020  |               |
| Chlordane (sum of cis & trans)           | ND         | 0.020  |               |
| Chlorfenapyr                             | ND         | 0.020  |               |
| Chlorobenzilate                          | ND         | 0.040  |               |
| Chloroneb                                | ND         | 0.040  |               |
| Chlorothalonil                           | ND         | 0.020  |               |
| Cyanazine                                | ND         | 0.020  |               |
| Dacthal                                  | ND         | 0.020  |               |
| DDD                                      | ND         | 0.020  |               |
| DDE                                      | ND         | 0.020  |               |
| DDT                                      | ND         | 0.020  |               |
| Dichlobenil                              | ND         | 0.030  |               |
| Dicloran                                 | ND         | 0.020  |               |
| Dicofol                                  | ND         | 0.050  |               |
| Dieldrin                                 | ND         | 0.010  |               |
| Endosulfan alpha                         | ND         | 0.010  |               |
| Endosulfan beta                          | ND         | 0.010  |               |
| Endosulfan sulfate                       | ND         | 0.010  |               |
| Endosulfans (Total)                      | ND         | 0.010  |               |
| Endrin                                   | ND         | 0.010  |               |
| Ethafuralin                              | ND         | 0.020  |               |
| Fenhexamid                               | ND         | 0.040  |               |
| Folpet                                   | ND         | 0.040  |               |
| Heptachlor                               | ND         | 0.040  |               |
| Heptachlor epoxide                       | ND         | 0.020  |               |
| Hexachlorobenzene                        | ND         | 0.010  |               |
| Indoxacarb                               | ND         | 0.030  |               |
| Iprodione                                | ND         | 0.050  |               |
| Lindane (gamma-BHC)                      | ND         | 0.010  |               |
| Linuron                                  | ND         | 0.150  |               |
| Methoxychlor                             | ND         | 0.020  |               |
| Metribuzin                               | ND         | 0.020  |               |
| Mirex                                    | ND         | 0.020  |               |
| Myclobutanil                             | ND         | 0.050  |               |
| Oxadiazon                                | ND         | 0.050  |               |
| Oxyfluorfen                              | ND         | 0.020  |               |
| Pendimethalin                            | ND         | 0.050  |               |
| Pentachloronitrobenzene (PCNB)           | ND         | 0.010  |               |
| Pentachloroaniline (PCA)                 | ND         | 0.010  |               |
| Perthane                                 | ND         | 0.100  |               |
| Polychlorinated Biphenyls (as congeners) | ND         | 0.020  |               |
| Procymidone                              | ND         | 0.020  |               |
| Profluralin                              | ND         | 0.020  |               |
| Pronamide                                | ND         | 0.020  |               |
| Propanil                                 | ND         | 0.050  |               |
| Tetradifon                               | ND         | 0.020  |               |
| Toxaphene                                | ND         | 0.250  |               |
| Triadimefon                              | ND         | 0.020  |               |
| Trifloxystrobin                          | ND         | 0.020  |               |
| Triflumazole                             | ND         | 0.050  |               |
| Trifluralin                              | ND         | 0.020  |               |
| Vegadex (Diethyldithiocarbamic Acid)     | ND         | 0.020  |               |
| Vinclozolin                              | ND         | 0.020  |               |



## ANALYTICAL REPORT

March 18, 2026

**Client:**

Dellavalle Laboratory, Inc.  
1910 W. McKinley, Suite #110  
Fresno, CA 93728

Phone: (559) 233-6129

Fax: (559) 268-8174

Email: [dataentry@dellavallelab.com](mailto:dataentry@dellavallelab.com)

**Analyte**

Bifenthrin  
Cyfluthrin  
Cypermethrin  
Deltamethrin + Tralomethrin  
Esfenvalerate  
Fenpropathrin  
Fluvalinate  
Cyhalothrin (sum of gamma & lambda)  
Permethrin  
Pyrethrins (Total)

| Amount<br>ppm | RL<br>ppm | Tolerance<br>ppm |
|---------------|-----------|------------------|
|---------------|-----------|------------------|

|    |       |  |
|----|-------|--|
| ND | 0.020 |  |
| ND | 0.040 |  |
| ND | 0.040 |  |
| ND | 0.020 |  |
| ND | 0.030 |  |
| ND | 0.020 |  |
| ND | 0.040 |  |
| ND | 0.020 |  |
| ND | 0.100 |  |
| ND | 0.100 |  |

Project No: Julies Field

PO No: 1208

Client Sample ID: 26C0604-01 Organic Blueberry MRL

EMA Sample No: 26031709-01

Date Received: 3/17/2026

Sample Matrix: Blueberries

Analytical Method: Pyrethroid Screen

Extraction Method: CDFA

Date Extracted: 3/17/2026

Date Completed: 3/17/2026

**Comments:**

If the amount column displays: OC - See OC Screen, Pyr - See Pyrethroid Screen, ON - See ON Screen, OP - See OP Screen, CB - See CB screen, GC/MS - See GC/MS/MS Screen, LC/MS - See LC/MS/MS Screen  
ND = None Detected at the Reporting Limit (RL)  
Tolerance data taken from 40 CFR § 180 and/or MRLdatabase.com. Environmental Micro Analysis makes no claims as to the accuracy of tolerance numbers.  
Excess sample and extracts are stored for a minimum of 30 days from the date of analytical report. Special storage arrangements possible.  
Results relate only to items tested.  
Samples are analyzed as received.  
Reports should not be reproduced, except in full, without written consent by Environmental Micro Analysis.  
To see the scope of our ISO 17025 accreditation go to <http://emalab.com/ISO17025.pdf>



## ANALYTICAL REPORT

March 18, 2026

**Client:**

Dellavalle Laboratory, Inc.  
1910 W. McKinley, Suite #110  
Fresno, CA 93728

Phone: (559) 233-6129

Fax: (559) 268-8174

Email: [dataentry@dellavallelab.com](mailto:dataentry@dellavallelab.com)

Project No: Julies Field

PO No: 1208

Client Sample ID: 26C0604-01 Organic Blueberry MRL

EMA Sample No: 26031709-01

Date Received: 3/17/2026

Sample Matrix: Blueberries

Analytical Method: ON Screen

Extraction Method: CDFA

Date Extracted: 3/17/2026

Date Completed: 3/17/2026

**Analyte**

**Amount** **RL** **Tolerance**  
**ppm** **ppm** **ppm**

|                 |    |       |
|-----------------|----|-------|
| Acetamipride    | ND | 0.050 |
| Atrazine        | ND | 0.030 |
| Azoxystrobin    | ND | 0.030 |
| Benthiocarb     | ND | 0.050 |
| Cyanazine       | ND | 0.050 |
| Cyromazine      | ND | 0.050 |
| Cyprodinil      | ND | 0.050 |
| Dimethomorph    | ND | 0.050 |
| Diphenylamine   | ND | 0.050 |
| Fenamidone      | ND | 0.050 |
| Fenbuconazole   | ND | 0.050 |
| Fipronil        | ND | 0.050 |
| Fludioxonil     | ND | 0.050 |
| Hexazinone      | ND | 0.050 |
| Imazalil        | ND | 0.050 |
| Kresoxim Methyl | ND | 0.050 |
| Metalaxyl       | ND | 0.050 |
| Metolachlor     | ND | 0.050 |
| Metribuzin      | ND | 0.050 |
| Molinate        | ND | 0.050 |
| Myclobutanil    | ND | 0.050 |
| Prometon        | ND | 0.050 |
| Prometryne      | ND | 0.050 |
| Propamocarb     | ND | 0.050 |
| Propiconazole   | ND | 0.050 |
| Pymetrozine     | ND | 0.050 |
| Pyraclostrobin  | ND | 0.050 |
| Simazine        | ND | 0.050 |
| Tebuconazole    | ND | 0.050 |
| Terbacil        | ND | 0.050 |
| Thiabendazole   | ND | 0.050 |

**Comments:**

If the amount column displays: OC - See OC Screen, Pyr - See Pyrethroid Screen, ON - See ON Screen, OP - See OP Screen, CB - See CB screen, GC/MS - See GC/MS/MS Screen, LC/MS - See LC/MS/MS Screen  
ND = None Detected at the Reporting Limit (RL)  
Tolerance data taken from 40 CFR § 180 and/or MRLdatabase.com. Environmental Micro Analysis makes no claims as to the accuracy of tolerance numbers.  
Excess sample and extracts are stored for a minimum of 30 days from the date of analytical report. Special storage arrangements possible.  
Results relate only to items tested.  
Samples are analyzed as received.  
Reports should not be reproduced, except in full, without written consent by Environmental Micro Analysis.  
To see the scope of our ISO 17025 accreditation go to <http://emalab.com/ISO17025.pdf>



## ANALYTICAL REPORT

March 18, 2026

**Client:**

Dellavalle Laboratory, Inc.  
1910 W. McKinley, Suite #110  
Fresno, CA 93728

Phone: (559) 233-6129

Fax: (559) 268-8174

Email: [dataentry@dellavallelab.com](mailto:dataentry@dellavallelab.com)

Project No: Julies Field

PO No: 1208

Client Sample ID: 26C0604-01 Organic Blueberry MRL

EMA Sample No: 26031709-01

Date Received: 3/17/2026

Sample Matrix: Blueberries

Analytical Method: OP Screen

Extraction Method: CDFA

Date Extracted: 3/17/2026

Date Completed: 3/17/2026

| Analyte                        | Amount<br>ppm | RL<br>ppm | Tolerance<br>ppm |
|--------------------------------|---------------|-----------|------------------|
| Acephate                       | ND            | 0.020     |                  |
| Azinphos-methyl                | ND            | 0.050     |                  |
| Bolstar                        | ND            | 0.030     |                  |
| Bensulide                      | ND            | 0.050     |                  |
| Carbofenthiol                  | ND            | 0.020     |                  |
| Chlorfenvinphos                | ND            | 0.030     |                  |
| Chlorpyrifos                   | ND            | 0.020     |                  |
| Chlorpyrifos-methyl            | ND            | 0.030     |                  |
| Ciodrin                        | ND            | 0.050     |                  |
| Coumaphos                      | ND            | 0.050     |                  |
| DEF                            | ND            | 0.050     |                  |
| Demeton (Systox) O/S Analogues | ND            | 0.040     |                  |
| Diazinon                       | ND            | 0.030     |                  |
| Dibrom                         | ND            | 0.050     |                  |
| Dichlorvos                     | ND            | 0.030     |                  |
| Dicrotophos                    | ND            | 0.020     |                  |
| Dimethoate                     | ND            | 0.020     |                  |
| Disulfoton                     | ND            | 0.020     |                  |
| EPN                            | ND            | 0.020     |                  |
| Ethion                         | ND            | 0.030     |                  |
| Ethoprop                       | ND            | 0.050     |                  |
| Fenamiphos                     | ND            | 0.020     |                  |
| Fenitrothion                   | ND            | 0.030     |                  |
| Fenthion                       | ND            | 0.020     |                  |
| Fonofos                        | ND            | 0.040     |                  |
| Isofenphos                     | ND            | 0.030     |                  |
| Malathion                      | ND            | 0.020     |                  |
| Metasystox-R                   | ND            | 0.050     |                  |
| Methamidophos                  | ND            | 0.030     |                  |
| Methidathion                   | ND            | 0.030     |                  |
| Methyl Parathion               | ND            | 0.030     |                  |
| Mevinphos                      | ND            | 0.050     |                  |
| O-methoate                     | ND            | 0.050     |                  |
| Parathion                      | ND            | 0.040     |                  |
| Phorate                        | ND            | 0.050     |                  |
| Phosalone                      | ND            | 0.050     |                  |
| Phosmet                        | ND            | 0.030     |                  |
| Phosphamidon                   | ND            | 0.020     |                  |
| Pirimiphos-methyl              | ND            | 0.050     |                  |
| Profenofos                     | ND            | 0.020     |                  |
| Propetamphos                   | ND            | 0.020     |                  |
| Ronnel                         | ND            | 0.030     |                  |
| Tetrachlorvinphos              | ND            | 0.020     |                  |
| Thionazin                      | ND            | 0.020     |                  |

**Comments:**

If the amount column displays: OC - See OC Screen, Pyr - See Pyrethroid Screen, ON - See ON Screen, OP - See OP Screen, CB - See CB screen, GC/MS - See GC/MS/MS Screen, LC/MS - See LC/MS/MS Screen  
ND = None Detected at the Reporting Limit (RL)  
Tolerance data taken from 40 CFR § 180 and/or MRLdatabase.com. Environmental Micro Analysis makes no claims as to the accuracy of tolerance numbers.  
Excess sample and extracts are stored for a minimum of 30 days from the date of analytical report. Special storage arrangements possible.  
Results relate only to items tested.  
Samples are analyzed as received.  
Reports should not be reproduced, except in full, without written consent by Environmental Micro Analysis.  
To see the scope of our ISO 17025 accreditation go to <http://emalab.com/ISO17025.pdf>



## ANALYTICAL REPORT

March 18, 2026

**Client:**

Dellavalle Laboratory, Inc.  
1910 W. McKinley, Suite #110  
Fresno, CA 93728

Phone: (559) 233-6129

Fax: (559) 268-8174

Email: [dataentry@dellavallelab.com](mailto:dataentry@dellavallelab.com)

**Analyte**

Aldicarb Sulfone  
Aldicarb Sulfoxide  
Aldicarb  
Carbaryl  
Carbofuran  
3-OH Carbofuran  
Methiocarb  
Methomyl  
o-Phenyl Phenol  
Oxamyl  
Propoxur  
Thiodicarb

| Amount<br>ppm | RL<br>ppm | Tolerance<br>ppm |
|---------------|-----------|------------------|
| ND            | 0.020     |                  |
| ND            | 0.020     |                  |
| ND            | 0.020     |                  |
| ND            | 0.020     |                  |
| ND            | 0.020     |                  |
| ND            | 0.020     |                  |
| ND            | 0.020     |                  |
| ND            | 0.020     |                  |
| ND            | 0.020     |                  |
| ND            | 0.020     |                  |
| ND            | 0.020     |                  |
| ND            | 0.020     |                  |

Project No: Julies Field

PO No: 1208

Client Sample ID: 26C0604-01 Organic Blueberry MRL

EMA Sample No: 26031709-01

Date Received: 3/17/2026

Sample Matrix: Blueberries

Analytical Method: CB Screen

Extraction Method: CDFA

Date Extracted: 3/17/2026

Date Completed: 3/17/2026

**Comments:**

If the amount column displays: OC - See OC Screen, Pyr - See Pyrethroid Screen, ON - See ON Screen, OP - See OP Screen, CB - See CB screen, GC/MS - See GC/MS/MS Screen, LC/MS - See LC/MS/MS Screen  
ND = None Detected at the Reporting Limit (RL)  
Tolerance data taken from 40 CFR § 180 and/or MRLdatabase.com. Environmental Micro Analysis makes no claims as to the accuracy of tolerance numbers.  
Excess sample and extracts are stored for a minimum of 30 days from the date of analytical report. Special storage arrangements possible.  
Results relate only to items tested.  
Samples are analyzed as received.  
Reports should not be reproduced, except in full, without written consent by Environmental Micro Analysis.  
To see the scope of our ISO 17025 accreditation go to <http://emalab.com/ISO17025.pdf>



03/13/26 07:10

26C0604

92

3aba10af-749d-47e7-bb40

**SOIL & TISSUE WORK REQUEST**

Acct No. 00-0022408 Consultant No. 22 PO No.

Client EZM Inc  
Address 14565 Road 208  
City, State, Zip Porterville, California 93257  
Cell/Office Phone (951) 288-2297

Email ykwun@yahoo.com

Copy to

Requested by Young Kwun

Ranch Julie's Field

ID crop Blueberry

Present  Stage of Growth

Intended

Date sampled 3/9/26 Sampled by Young Kwun

**Lab Analysis Required**

Sample Material Analysis Package  
Sendout

Lab/Office Notes:  
**Special Sendout Analysis: CDFA Scan**

Sampling Notes:

No. Samples: 1

**DESCRIPTION OF SAMPLES**

1. Organic Blueberry MRL
2.
3.
4.
5.
6.
7.
8.
9.
10.
11.
12.
13.
14.
15.
16.
17.
18.
19.
20.

**SENDOUT**

☐ QA/QC Doc ☐ Copy of Chain ☐ Comments/Recommendations

| CHAIN OF CUSTODY |                    |                 |                         |                          |
|------------------|--------------------|-----------------|-------------------------|--------------------------|
| Carrier          | Signature          | Company         | Received (Date/Time)    | Relinquished (Date/Time) |
| First            | <u>Yos Kwun</u>    | <u>EZM, Inc</u> | <u>3-12-26</u>          | <u>3/12/26 11:12</u>     |
| Second           | <u>LGA Myers</u>   | <u>DG</u>       | <u>3/12/26 11:12</u>    |                          |
| Third            | <u>BS</u>          | <u>Phms</u>     | <u>11</u>               | <u>11 8:35</u>           |
| Fourth           | <u>[Signature]</u> | <u>ALI</u>      | <u>3/3-26 - 7:10 AM</u> |                          |

1910 W. McKinley Avenue, Suite 110 • Fresno, CA 93728  
www.dellavallelab.com 559 233-6129

| Invoice Info | Shipping  |
|--------------|-----------|
| <u></u>      | <u>\$</u> |



03/13/26 07:10

26C0604

**Sending Laboratory:**

Dellavalle Laboratory Inc.  
1910 McKinley, Ste. 110  
Fresno, CA 93728-1298  
Phone: (559) 233-6129  
Fax: (559) 268-8174

**After Hours Contact:**

Susan Villagran  
559-530-1346  
Martin James  
559-940-2024

Attn: Kaitlynn Shaw  
dataentry@dellavallelab.com

PO# 1208

**Subcontracted Laboratory:**

EMA  
460 N. East St.  
Woodland, CA 95776  
Phone: (530) 666-6890  
Fax:

Turnaround: Standard ☒ Rush ☐

State Forms: Yes ☐ No ☒ Sys#

**Work Order: 26C0604**

**Project: Julies Field**

**Analysis**

**Sample ID: 26C0604-01 Blueberry**

Client Sample Name: Organic Blueberry MRL

**Sampled: 3/9/2026 12:00AM**

**Sampled By: Young Kwun**

**Comments**

CDFA Scan:SO

Containers Supplied:

Released By mm

Date 3.16.2026

Received By \_\_\_\_\_

Date \_\_\_\_\_

Released By \_\_\_\_\_

Date \_\_\_\_\_

Received By \_\_\_\_\_

Date \_\_\_\_\_